VERIVIAL LABS

Independent Analytical Testing | RP-HPLC-UV

Certificate of Analysis

Result: PASS

REPORT NUMBER	VVL-2026-000142
ISSUE DATE	2026-11-09
VERIFICATION ID	VVL-ZHCW-WGFT-2GMZ
REPORT ISSUED TO	DaKine Research

Scan to verify

SAMPLE INFORMATION

SAMPLE ID	**PEPTIDE / SAMPLE NAME**	**LABELED AMOUNT / STRENGTH**
VVL-261103-3012-06	KPV	30
LOT / BATCH	**MANUFACTURER / BRAND / SUPPLIER**	
LJKP2026073101	DaKine Research	

ANALYTICAL RESULTS


PURITY	**MASS (MGS)**	**ANALYTE ID (PEPTIDE ID)**
99.25%	30.29 MGs	KPV
IDENTITY SCREENING RESULT	**TESTING DATE**	**ANALYST**
PASS	2026-11-08	Chief Lab Analyst- E.C.


METHOD / LABORATORY NOTES

Method: RP-HPLC-UV.

CHROMATOGRAPHIC DATA

SAMPLE IMAGE





Illustrative peak-time plot - not raw instrument data.

Verify this COA: https://www.veriviallabs.com/verify/VVL-ZHCW-WGFT-2GMZ

Results apply only to the submitted sample. RP-HPLC-UV identity screening does not establish safety, sterility, efficacy or suitability for human use.